实力篇
Company Strength

P08.研发实力

P08.R&D Capabilities

P09.专利技术

P09.Patented Technology

P10.质量环保

P10.Quality & Eco - friendliness

研发实力
R&D Capabilities

匠心于行，承载着 “让客户用上放心的环保油墨” 的郑重承诺，我们重视技术创新，积累了雄厚的技术研发实力，全方位倾心打造高标准的化学检测中心、生产制造基地以及仓储物流中心，其专业、品质与服务，只为做到更精、更专、更强！

2008年9月，正式成立了“化学检测中心”。从原材料、成品进行相关环保性及化学性能检测。拥有电感耦合等离子体发射光谱仪（ICP-OES）、气相色谱质谱联用仪（GC-MS）、微波消解系统、索氏萃取系统、超纯水系统、紫外分光光度计（UV-VIS）、耐候机等一批国际先进的测试仪器，可保证检测工作准确、可靠、快捷地进行。至今，我们的检测项目涵盖了多种关键指标，具体包括八大重金属元素（铅、镉、铬、汞、硒、钡、砷、锑）、甲醛、多环芳香烃、邻苯二甲酸盐、RoHS六项限用物质检测，以及PH值等。

多年来，对品质的持之以恒，驱使印吧油墨不断创新发展。我们组建经验丰富的经营管理团队及高素质的技术研发团队，不断投入资源进行技术创新与产品研发，秉持 “以客户为中心、以产品性价比为中心” 的原则，聚焦客户需求，提供更加环保、优质、具备竞争力的产品。其专业的销售服务团队深入了解客户需求，为客户提供个性化解决方案及优质产品服务，注重客户使用体验，为客户提供方便、快捷、可信、专业的服务。

PrintBar Ink & Coating Co., Ltd. formally established the "Chemical Testing Center" in September 2008. It mainly conducts environmental and chemical performance tests on the company's raw materials and finished products. It has a number of internationally advanced testing instruments such as inductively coupled plasma emission spectrometer (ICP-OES), gas chromatograph-mass spectrometer (GC-MS), microwave digestion system, Soxhlet extraction system, ultrapure water system, ultraviolet spectrophotometer (UV-VIS), weathering machine, etc., which can ensure that the testing work is accurate, reliable and fast.

So far, we have obtained ISO9001 quality management system, ISO14001 environmental management system, Ten-ring certification, green raw and auxiliary materials products, RoHS, REACH, En71, CNAS and other authoritative certifications. These certifications not only prove our outstanding performance in environmental protection and product quality, but also provide customers with reliable quality assurance. We always adhere to the bottom line of environmental protection and quality to ensure that every product meets strict environmental protection and quality standards.

Over the years, the persistence in quality has driven PrintBar Ink to continue to innovate and develop. We have formed an experienced management team and a high-quality technical R&D team, and continuously invested resources in technological innovation and product development. Adhering to the principle of "customer-centric and product cost-effective", we focus on customer needs and provide more environmentally friendly, high-quality and competitive products. Its professional sales and service team has a deep understanding of customer needs, provides customers with personalized solutions and high-quality product services, pays attention to customer experience, and provides customers with convenient, fast, reliable and professional services.








产品篇
Company Product

P12.产品及应用领域
P12.Products & Application
P13.溶剂型油墨系列
P13.Solvent - based Ink Series
P17.水性油墨及印花材料系列
P17.Water-based ink and printing material series
P21.UV油墨系列
P21.UV Ink Series
P25.配套溶剂、耗材
P25.Auxiliary Solvents & Consumables
P26.印吧产品包装
P26. PrintBar Product Packaging

产品及应用领域
Products&Application

我司目前主要研发、生产、销售各种绿色环保UV型油墨、LED型油墨、水性油墨、高品质溶剂型油墨及相应的配套助剂、辅材，涉及胶印、轮转、辊涂、柔印、丝印等多种印刷方式，广泛应用于包装印刷、电子电器、广告展示、日用产品、纺织服装、玩具行业、文体用品等众多领域。目前，中益油墨的产品已畅销全国，并远销欧美、亚非、美洲等40多个国家和地区。

Our company currently mainly develops, produces and sells various green and environmentally friendly UV inks, LED inks, water-based inks, high-quality solvent-based inks and corresponding supporting additives and auxiliary materials, involving offset printing, rotary printing, roller coating, flexographic printing, silk screen printing and other printing methods, which are widely used in packaging printing, electronic appliances, advertising display, daily products, textiles and clothing, toy industry, stationery and sports goods and many other fields. At present, Zhongyi Ink's products have been sold well throughout the country and exported to more than 40 countries and regions in Europe, America, Asia, Africa, and America.

溶剂型油墨系列/SOLVENT BASED PRINTING INK SERIES

- **PVC油墨系列：** / **PVC INK SERIES:**
  - SA-亮光PVC丝印油墨 / SA-Gloss pvc ink 16-17
  - S-哑光PVC丝印油墨 / S-Matte pvc ink 16-17
  - SAD-低气味亮光PVC油墨 / SAD-Low Odor Glossy PVC Ink 16-17
  - SD-低气味哑光PVC油墨 / SD-Low Odor Matte PVC Ink 16-17
  - PA-PVC接头丝印油墨 / PA-PVC joint screen printing ink 16-17
- **尼龙系列：** / **NYLON INK SERIES:**
  - SU-尼龙抗粘丝印油墨 / SU-Nylon Anti-stick Screen Printing Ink 16-17
  - SND-防水尼龙丝印油墨 / SND-Waterproof Nylon ink 16-17
  - SNC(C)-高级亮光防水尼龙丝印油墨 / SNC(C)-High Gloss Waterproof Nylon ink 16-17
  - TPU-高级鞋材耐折丝印油墨 / TPU-Fold-resistant screen printing ink for high-grade shoe materials 16-17
  - SNC(C)-P高级亮光防水尼龙丝印油墨（不含多环芳烃） / SNC(C)-P-High-gloss Waterproof Nylon Fabric Screen Printing Ink 16-17
  - SNM-低气味织带丝印油墨 / SNM-Low Odor Silk Screen Ink for Webbing 16-17
  - SNY-低气味尼龙丝印油墨 / SNY-Low Odor Nylon Silk screen Ink 16-17
- **塑胶油墨系列：** / **PLASTIC INK SERIES:**
  - SY-亮光塑胶丝印移印油墨 / SY-Plastic Screen Printing And Pad Printing ink 16-17
  - SF-不烧面塑胶丝印油墨 / SF-Glossy Non-burning plastic screen printing ink 16-17
  - SH-耐酒精塑胶丝印油墨 / SH-Glossy Alcohol Resistant ink 16-17
  - SP-精细塑胶丝印油墨 / SP-fine plastic screen printing ink 16-17
  - PET-亮光聚脂丝印油墨 / PET-Glossy Polyester Screen Printing ink 16-17
  - PPG-高亮光PP丝印油墨 / PPG-High gloss PP screen printing ink 16-17
  - PPD-免处理平光PP、PE丝印油墨 / PPD-Matte PP,PE Screen Printing And Pad Printing ink 16-17
  - PPF-免处理PP、PE丝印油墨 / PPF-Matte PP,PE Screen Printing And Pad Printing ink 16-17
  - HAC-加硬塑胶无卤油墨 / HAC-Hardened Plastic Halogen-free Printing ink 16-17
  - HPC-膜内注塑（IMD）丝印油墨 / HPC-In-Mold Decoration (IMD) Screen Printing Ink 16-17
  - YGH-耐酒精塑胶移印油墨 / YGH-Ethanol Resistant Plastic Pad Printing ink 16-17
- **橡胶油墨系列：** / **RUBBER SERIES:**
  - EVA-EVA丝印油墨 / EVA-EVA ink 18-19
  - RP-亮光橡胶丝印油墨 / RP-Glossy Rubber ink 18-19
  - PPVA-PEVA、EVA丝印油墨 / PPVA-PEVA、EVA ink 18-19
- **刮刮乐油墨系列：** / **LOTTERY INK SERIES:**
  - SO-刮刮乐油墨 / SO-Lottery Scratch ink 18-19
- **镜面银油墨系列：** / **MIRROR SILVER PRINTING INK SERIES:**
  - PM-高级镜面银油墨 / PM-High-level Mirror-like Silver Printing ink 18-19
- **玻璃油墨系列：** / **GLASS SERIES:**
  - BLA-单组份系列油墨 / BLA-one-component series ink 18-19
  - BLD-单组份系列油墨 / BLD-one-component series ink 18-19
  - BL-铂金系列油墨 / BL-Platinum Series Ink 18-19
  - GK/GE-双组份玻璃金属丝印油墨 / GK/GE-Double Component Glass Metal ink 18-19

水性油墨及印花材料系列/WATER-BASED INK AND PRINTING MATERIAL SERIES

- **水性丝印油墨系列：** **Screen Printing ink Series：**
  - WG-SV/WX/WN系列鞋材油墨 WG-SV/WX/WN Series Water-based Ink for Shoes 20-21
  - WG-TH水性柯式烫画油墨 WG-TH Water-based Offset Hot Stamping Ink 20-21
  - WG-NS防水尼龙水性油墨 WG-NS Water-Based Nylon ink 20-21
  - WG-NY防水尼龙水性油墨 WG-NY Water-based Nylon ink 20-21
  - WG-PVC水性丝印油墨 WG-PVC Water-based Ink 20-21
  - WG-PP水性丝印油墨 WG-PP Water-based Ink 20-21
  - WG-ABS水性丝印油墨 WG-ABS Water-based Ink 20-21
  - WG-PET水性丝印油墨 WG-PET Water-based Ink 20-21
  - WG-WA111遇水白色变透明油墨 WG-WA111Transparent Ink when Responds water 20-21
  - WGL-水性玻璃油墨 WGL-Water-based Glass Ink 20-21
  - WGL-100L水性玻璃光油 WGL-100L Water-based Glass Varnish 20-21
- **水性丝印系列：** **Water-based screen printing series：**
  - WG-100/100B水性金葱粉光油 WG-100/100B water-based glitter varnish 20-21
  - WG-150水性丝印触感油 WG-150 water-based screen printing soft touch varnish 20-21
- **水性辊涂系列：** **Water-based roller coating series：**
  - WG-WY100D/WY100M水性替塑油 WG-WY100D/WY100M water-based plastizcing varnish 22-23
  - WG-GT150水性手感油 WG-GT150 water-based soft touch varnish 22-23
- **水性打底浆系列：** **Water-based Prming Paste Series：**
  - EW-601/602D、WX-017箱包打底浆 EW-601/EW-602D Luggage Bag Prime Paste 22-23
  - WX-016/WX-020/WX-030鞋材打底浆 WX-016/WX-020/WX-030 Shoes Material Thick Paste 22-23
  - NF-100D 硅油布打底浆 NF-100D Water-Based Silicone Fabric Primer Paste 22-23
  - NF-120D厚版浆 NF-120D Water-based Thick Paste 22-23
- **印花胶浆系列：** **Printing Paste Series：**
  - 手印胶浆透明：EW-100/100A、NF-100 Manual-printed Transparent Paste EW-100/100A, NF-100 22-23
  - 手印胶浆白色：EW102/102A、NF-102 Manual-printed White Paste EW-102/EW-102A, NF-102 22-23
  - 手印防冻透明浆：NF-100FD Manual-printed Anti-freezing Transparent Paste NF-100FD 22-23
  - 手印防冻白胶浆：NF-102FD Manual-printed Anti-freezing White Paste NF-102FD 22-23
  - 机印透明胶浆：EWJ-100、NFJ-100 Machine-printed Transparent Paste EWJ-100, NFJ-100 22-23
  - 机印胶浆白色：EWJ-102、NFJ-102 Machine-printed Water Paste White EWJ-102, NFJ-102 22-23
  - 机印防冻透胶浆：EW-200FD、NF-200FD Machine-printed Anti-freezing Transparent Paste EW-200FD, NF-200FD 22-23
  - 机印防冻白胶浆：EW-202FD、NF-202FD Machine-printed Anti-freezing White Water Paste EW-202FD, NF-202FD 22-23
  - NF-7000泳衣透明浆 NF-7000 Transparent Paste for Swimwear/
  - NF-7000Y泳衣白胶浆 NF-7000Y White Water Paste for Swimwear 22-23
  - NF-118发泡浆 NF-118 Foaming Bubble Paste 22-23
  - NF-091仿烫金/NF-081仿烫银 NF-091 Imitation Gold Paste/NF-081 Imitation Silver Paste 22-23
  - NF-3000网点透明浆、NF-3200网点白胶浆 NF-3000 Dotted Transparent Paste, NF-3200 Dotted White Water Paste 22-23
  - NF-8700拔印色浆 NF-8700 Discharge White Paste/
  - NF-8800拔白浆 NF-8800 Discharge Printing Transparent Paste 22-23
  - 防升华浆NF-005A NF-005A Water-Based Anti-Sublimation Paste 22-23
- **盖面浆系列：** **Cover Paste Series：**
  - WG-PU100/100A亮光盖面浆 WG-PU100/100A High-Gloss Cover Paste 22-23
  - NF-150肤感盖面浆 Matte Cover Paste NF-150 Skin-feel Cover Paste 22-23
- **水性清漆系列：** **Water-based Vanish Series：**
  - WG-050金卡清漆 WG-050 Gold Card Vanish 24
  - WG-060银卡清漆 WG-060 Silver Card Varnish 24
  - WG-05A烟标银卡清漆 WG-05A Cigarette Mark Silver Card Varnish 24
  - WG-063膜面银卡清漆 WG-063 Film Surface Silver Card Varnish 24
- **联机辊涂系列：** **Online roller coating series：**
  - WG-GT100G抗刮花亮光油 WG-GT100G anti-scratch gloss varnish 24
  - WG-GT100Y抗刮花哑光油 WG-GT100Y anti-scratch matte varnish 24

UV油墨系列/UV INK SERIES

- **UV丝印油墨系列：** **UV SCREEN INK SERIES：**
  - UVAS-键盘油墨 UVAS-Keyboard Ink 25-26
  - UVB-塑料、纸张油墨 UVB-plastic and paper ink 25-26
  - UVB-广告四色油墨 UVB - Four Colors Advertisement Ink 25-26
  - UVJ-金属油墨 UVJ-Metal ink 25-26
  - UVT-PET类瓶子油墨 UVT-PET bottle ink 25-26
  - UVTP-PP/PE类瓶子油墨 UVTP-PP/PE bottle ink 25-26
  - LED固化-LEA（玻璃水转印）油墨 LED Curing-LEA(Glass Water Transfer Printing)Ink 25-26
  - LED固化-LEB油墨 LED Curing-LEB Ink 25-26
- **UV丝印光油系列：** **UV screen printing varnish SERIES：**
  - UVB-冷烫光油 UVB-Cold Stamping Varnish 25-26
  - UVC-哑膜光油 UVC-Matte Lamination Gloss Varnish 25-26
- **UV丝印油墨特殊效果系列：** **UV SCREEN PRINTING SPECIAL EFFECT VARNISH SERIES：**
  - UVC-磨砂油墨 UVC-Abrasive Varnish 25-26
  - UVC-雪花油墨 UVC-Snow Varnish 25-26
  - UVC-皱纹油墨 UVC- Wrinkle Varnish 25-26
  - UVC-折光油墨 UVC-Refractive Varnish 25-26
  - UVC-水晶油墨 UVC-Crystal Varnish 25-26
  - UVC-发泡油墨 UVC-Bubble Varnish 25-26
  - UVC-皮纹油墨 UVC- Plica Varnish 25-26
  - UVC-吸水纸光油 UVC-Absorbent paper Varnish 25-26
  - UVH-洒粉光油 UVH-Powder Varnish 25-26
  - UVC-凸字光油 UVC-Embossed Varnish 25-26
  - UVC-哑光浆 UVC-Matte Varnish 25-26
- **UV胶印油墨系列：** **UV OFFSET PRINTING INK SERIES：**
  - UVU-HT高附着力油墨系列 UVU - HT High Adhesion Offset Printing Ink Series 27-28
  - UVU-K/KE通用油墨系列 UVU - K/K E Series Universal Offset Printing Ink Series 27-28
  - UVU-无氧光油系列 UVU-Oxygen-Free Varnish Series 27-28
  - UVU-NR标签系列 UVU - NR Rotary Series Ink 27-28
  - UVU-可剥离哑油系列 UVU-Peel-off Matte Varnish series 27-28
  - LED-E/LED系列 LED - E/LED Series 27-28
  - 逆向面油系列 Drip-off Reverse Varnish On Surface Series 27-28
  - 逆向底油系列 Drip-off Reverse Varnish On The Under layer Series 27-28
- **UV柔印油墨系列：** **UV FLEXO INK SERIES：**
  - UVR-油墨系列 UVR FLEXO INK 27-28
- **UV辊涂油墨系列：** **UV ROLL COATING INK SERIES：**
  - UVG-320/230A/3201A磁胶系列 UVG - 230A/320/3201A Magnetic Varnish Series 27-28
  - UVG-240/250/340免打底辊涂油墨系列 UVG - 240/250/340 Roller Coating Series Without Underlayer 27-28
- **UV联机光油系列：** **UV ONLINE VARNISH SERIES：**
  - UVG-110/121/122A系列 UVG-110/121/122A SERIES 27-28

溶剂/THINNERS SERIES

718中干水	环己酮	718 Medium Dry Thinner	Cyclohexanone 29-30
007慢干水	环己酮D	007Slow Dry Thinner	Cyclohexanone D 29-30
007中干水	环己酮 (一级)	007Medium Dry Thinner	Cyclohexanone(First Grade) 29-30
007快干水	环己酮 (原装)	007Fast dry Thinner	Cyclohexanone(Original) 29-30
007洗网水	SF慢干抹字水	007Wash Mesh Water	SF Slow Dry Wiping Thinner 29-30
008洗网水	SF油墨开油水	008Wash Mesh Water	SF Ink Thinner 29-30
009洗网水	Rp橡胶油墨开油水	009Wash Mesh Water	RP Rubber ink Thinner 29-30
719快干水	防白水	719Fast dry Thinner	Anti-white Water 29-30
D-783	松节水	D-783 Slow dry	Turpentine 29-30
783慢干水	天那水	783Slow Dry Thinner	Tenna water 29-30
783特慢干水	PP处理水	783Extra Slow Dry Thinner	PP Treatment Water 29-30
783慢干水 (原装)	407印花水	783Slow Dry Thinner(Original)	407 Printing Water 29-30
783环保特慢干水	水性洗板水	783EnvironmentalSlow Dry Thinner	Water-based PlateWashing Water 29-30
A-800环保特慢干水	水性洗板水B	A-800 Extra Slow Dry Thinner	Water-based PlateWashing Water B 29-30

助剂/AGENT SERIES

060消泡剂	9024抗油剂	060 Bubble Removel	9024 Anti-oilAgent 31-32
9004催化剂	9006催化剂	9004 Catalyst	9006 Catalyst 31-32
PP-112慢干膏增光剂	油性消光剂	PP-112 Slow Dry Cream	Oil-Based Delustering Agent 31-32
油性柔软剂	油性防粘剂	Oil-Based Softener	Oil-Based Anti-stick Thinner 31-32

丝印辅助材料/SCREEN PRINTING AUXILIARY MATERIAL SERIES

印吧 ZY-44银粉(7U)	ZY-44 Silver Powder(7U) 33
印吧 ZY-50银粉 (7U)	ZY-50 Silver Powder(7u) 33
印吧 6500#红金粉(11U)	6500# Rich Gold Powder(11u) 33
印吧 6500#青金粉(11U)	6500#Pale Gold Powder(11U) 33
印吧 ZY-170青金粉(7U)	ZY-170 Pale Gold Powder(7u) 33
印吧 ZY-175红金粉(7U)	ZY-175 Rich gold Powder(7u) 33
印吧 ZY-250青金粉(5.5U)	ZY-250 Pale gold Powder(5.5U) 33
印吧 ZY-350红金粉(5.5U)	ZY-350 Rich gold Powder(5.5u) 33

KANO（卡诺）-制版材料/KANO - KANO PLATE-MAKING MATERIALS SERIES

KANO-A+B液	KANO-A+B Liquid 31-32
KANO-脱脂剂	KANO -Degreasing Agent 31-32
KANO-磨网膏	KANO Mesh Grinding Agent 31-32
KANO-脱膜粉	KANO- screen detergent Powder 31-32
KANO-去鬼影膏	KANO Ghosting Remover 31-32
KANO-蓝色封网浆	KANO-Blue Fillder 31-32
KANO-红色补边剂	KANO-Red Healant 31-32
KANO-200水性感光胶	KANO-200 Water-based Emulsion 31-32
KANO-8800水油两用感光胶	KANO-8800 Water And solvent based Emulsion 31-32

溶剂型油墨系列

PVC系列

产品名称	产品特性	适用底材	应用举例
S-哑光PVC丝印油墨	高遮盖力、耐重叠，柔软性好，印刷性能佳	PVC、木制品、人造革、纸张等	日用制品、鞋、帽加工、旅行袋、球类加工等
SA-亮光PVC丝印油墨			
SD-低气味PVC油墨	哑光、高遮盖力、附着力好、气味低、不含环己酮	硬质的PVC 、人造革、纸张等	日用制品、鞋、帽加工、旅行袋、球类加工等
SAD-低气味PVC油墨	亮光、高遮盖力、附着力好、气味低、不含环己酮	硬质的PVC 、人造革、纸张等	日用制品、鞋、帽加工、旅行袋、球类加工等
PA-PVC接头丝印油墨	亮光，抗粘性好，附着力好	PVC、木制品、人造革、纸张等	吹气玩具、日用制品、鞋、帽加工、旅行袋、球类加工等

尼龙系列

产品名称	适用底材	应用举例	产品特性
SU-尼龙抗粘丝印油墨	各种尼龙布、箱包布、牛津布、PU、TPU等	太阳伞、遮阳棚、手袋、书包等	平光、遮盖力高、附着力优、抗粘性好
SNC(C)-高级亮光防水尼龙丝印油墨	各种防水布、尼龙布、箱包布、牛津布、PU、TPU等	雨伞、书包、风衣、运动器材等	高光泽、对防水布有良好的附着力、印刷后手感柔软
SNC(C)-高级亮光防水尼龙丝印油墨	各种防水布、尼龙布、箱包布、牛津布、PU、TPU等	雨伞、书包、风衣、运动器材等	高光泽、对防水布有良好的附着力、印刷后手感柔软
TPU-高级鞋材耐折丝印油墨	防水布、雨伞布 、箱包布、人造革、PU、TPU、纸张等材质	防水布、雨伞布 、箱包布、人造革、PU、TPU、纸张等材质	平光、颜色耐迁移性好、耐水洗
SND-防水尼龙丝印油墨	各种防水布、尼龙布、箱包布、牛津布、PU、TPU等	各类防水用具、雨伞、防水服装、风衣等	亮光、附着力佳、耐水洗、柔软性好
SNM-低气味织带丝印油墨	适用于织带、防水布、雨伞布 、箱包布、人造革、PU、TPU、纸张等	太阳伞、遮阳棚、手袋、书包、衣、帽等	平光、低气味、慢干等特点，特别适合织带的小字体印刷、不含环己酮、可过OEKO-TEX认证
SNY-低气味尼龙丝印油墨	适用于防水布、雨伞布 、箱包布、人造革、PU、TPU、纸张等材质	太阳伞、遮阳棚、手袋、书包、衣、帽等	平光、低气味、慢干、不含环己酮等特点

塑胶系列

产品名称	适用底材	应用举例	产品特性
SY-塑胶丝印移印油墨	PS、ABS、PC、PMMA、HIPS等塑胶底材	塑胶玩具、电子加工、电器外壳、广告制作行业等	可丝印和移印，亮光、耐酒精
SF-不烧面塑胶丝印油墨	ABS、PC、PMMA、HIPS等塑胶底材	塑胶玩具、电子加工、铭牌、标牌加工、广告制作行业等	印刷品表面平滑、清晰、不起皱、亮光，不会腐蚀承印物表面
SH-耐酒精塑胶丝印油墨	ABS、PC、PMMA、HIPS等塑胶底材	塑胶玩具、电子加工、电器外壳、广告制作行业等	印刷品表面平滑，可丝印和移印，印刷适应性强、耐酒精
SP-精细塑胶丝印油墨	PVC、ABS、PC、PMMA等塑胶底材	电子薄膜开关、铭板行业的PVC、PC、ABS、PMMA材质的小字体印刷	精细、慢干、过网性好、附着力好
PET-亮光聚脂丝印油墨	各种PET底材	瓶、罐加工、文具用品、仪表印刷、运动器材外壳、薄膜开关印刷等	亮光，附着力佳，遮盖力好
PPG-高亮光PP丝印油墨	PP、PE等底材	各类文具、各类包装瓶罐	高亮光，附着力佳
PPD-免处理平光PP、PE丝印油墨	硬质的PP、PE等底材	瓶、罐加工、文具用品、运动器材、蓄电池外壳、仪表印刷等	附着力佳、可丝印和移印
PPF-免处理PP、PE丝印油墨	软质的PP、PE等底材	瓶、罐加工、文具用品、仪表印刷、手袋加工等	平光，附着力佳
HAC-加硬塑胶无卤油墨	各种硬化处理过的PC、PET、PMMA、PU面、UV面、电镀面、硬质尼龙和各种金属等底材	手机外壳、电子电器面板、电子产品	平滑性、耐擦伤性好、印膜的硬度高，抗刮能力强，表面不易刮损
HPC-膜内注塑（IMD）丝印油墨	IMD、IML产品，如易粘接处理PET薄膜以及PC片的压延成型用图案印刷。用丙烯酸脂、ABS、AS、PC树脂等的压延成型。	铭牌等细微的印刷的压延成型用两液反应型的丝印油墨	低臭味的环保油墨，对PET和PC有良好的粘接性，在压延成型等后加工具有优越的耐热性，并与成型树脂有良好的粘接性
YGH-耐酒精塑料移印油墨	硬质PVC、PC、ABS、PS、等各类电器外壳	玩具、光碟、电器外壳、仪表盘、工业品、铭牌、高质量装饰、促销牌等电子产品	亮光、耐磨、抗刮、不拉丝、易于操作，印刷适性强，遮盖力高、脱墨性能好

Solvent Based Printing Ink Series

溶剂型油墨系列

PVC Series

Product Name	Characteristics	Substrate	Usage
S-Matte PVC Ink	High covering ability,printing stackable,good softness, good printing performance	PVC, wood products, artificial leather,paper, etc	Daily products, shoes, hats processing, travel bags, balls processing, etc.
SA-Gloss PVC Ink			
SD-Low Odor Matte PVC Ink	Matte, high covering power, good adhesion, low odor, cyclohexanone free	Rigid PVC, artificial leather, paper, etc.	Daily products, shoes, hats processing, travel bags, balls processing, etc.
SAD-Low Odor Glossy PVC Ink	Glossy, high covering power, good adhesion, low odor, cyclohexanone free	Rigid PVC, artificial leather, paper, etc.	Daily products, shoes, hats processing, travel bags, balls processing, etc.
PA-PVC joint screen printing ink	Glossy,anti-sticky,good adhesion	PVC, wood products, artificial leather,paper, etc	Inflatable toys, daily necessities, shoes, hats, travel bags, balls, etc.

Nylon Series

Product Name	Substrate	Usage	Characteristics
SU-Nylon Anti-stick Screen Printing Ink	Nylon,luggage fabric, Oxford cloth,PU,TPU,etc	Sun umbrellas,sunshade, handbags,school bags,etc	Matte,good adhesion,high covering power,anti-sticky
SND-Waterproof Nylon Ink	Waterproof cloth,nylon cloth, bags,oxford cloth,PU,TPU,etc	Waterproof tools,waterproof clothing,windbreakers, umbrellas,etc	Glossy,good adhesion, anti-Washing,soft touching
SNC(C)- High Gloss Waterproof Nylon Ink	Waterproof cloth,nylon cloth, bags,oxford cloth,PU,TPU,etc	Umbrella,school bag,sports equipment,windbreaker,etc	High-gloss,good softness,strong coverage,good adhesion on high waterproof nylon fabric
SNC(C)- P High Gloss Waterproof Nylon Ink	Waterproof cloth,nylon cloth, bags,oxford cloth,PU,TPU,etc	Umbrella,school bag,sports equipment,windbreaker,etc	High gloss, good adhesion to waterproof fabric, soft touch after printing (does not contain polycyclic aromatic hydrocarbons, can pass PAHS)
TPU-Fold-resistant screen printing ink for high-grade shoe materials	Waterproof cloth, umbrella cloth, luggage cloth, artificial leather, PU, TPU, paper and other materials		Plain gloss finish, good color migration resistance, washable
SNM-Low Odor Silk Screen Ink for Webbing	Applicable to webbing, waterproof cloth, umbrella cloth, bag cloth, artificial leather, PU, TPU, paper, etc.	sun umbrella, awning, handbag, school bag, clothes, hat, etc	Plain gloss, low odor, slow drying, etc.,and is especially suitable for small - font printing of webbing. It does not contain cyclohexanone and can pass the OEKO - TEX certification.
SNY-Low Odor Silk Screen Ink for Webbing	Applicable to webbing, waterproof cloth, umbrella cloth, bag cloth, artificial leather, PU, TPU, paper, etc.	sun umbrella, awning, handbag, school bag, clothes, hat, etc.	Plain Gloss, low odor, slow drying and cyclohexanone free

Plastic Ink Series

Product Name	Substrate	Usage	Characteristics
SY-Plastic Screen Printing And Pad Printing Ink	PS,ABS,PC,PMMA,HIPS and other plastic substrates	Plastic toys,electronic processing, electrical shell,advertising production industry, etc	Screen printing,pad printing, glossy,alcohol-resistant
SF-Glossy Non-burning plastic screen printing ink	ABS,PC,PMMA,HIPS and other plastic substrates	Plastic toys,electronic processing, nameplate,sign processing, advertising production industry,etc	Printed pattern is even,clear,non-wrinkling,non-corrosive to the surface of substrate
SH-Glossy Alcohol Resistant Ink	ABS,PC,PMMA,HIPS and other plastic substrates	Plastic toys,advertising production, electronic processing industry, electrical shell,etc	Printed pattern is even,screen printing and pad printing,alcohol-resistant, printing adaptability
SP-fine plastic screen printing ink	PVC,ABS,PC,PMMA,and other plastic substrates	Small font printing on PVC,PC,ABS,PMMA materials in electronicmembrane switch and nameplateindustries	Fine,slow drying,good screen passing ability, good adhesion
PET-Glossy Polyester Screen Printing Ink	All kinds of PET substrate	Bottle,can processing,stationery,sports equipment shell,membraneswitch printing,instrument printing,etc	Glossy, good adhesion, good covering power
PPG-High gloss PP screen printing ink	PP,PE substrates	Stationery, packaging bottles and cans,etc	High gloss, good adhesion
PPD-Matte PP,PE Screen Printing And Pad Printing Ink	Hard PP,PE and other substrates	Bottle,can processing,stationery,sports equipment,battery shell,instrument printing,handbagprocessing,etc	Good adhesion,screen printing and pad printing
PPF-Matte PP,PE Screen Printing And Pad Printing Ink	Soft PP,PE and other substrates	Bottle, can processing,stationery, instrument printing,handbag processing,etc	Matte,good adhesion
HAC-Hardened Plastic Halogen-free Printing Ink	Printing on various hardened PC, PET,PMMA,PU surface,UV surface, electroplated surface, hard nylon and various metal substrates	Cell phone shell,electronic products electronic appliances panel,etc	Smooth,scratch resistant,good adhesion,glossy,ethanol resistant,etc.
HPC-In-Mold Decoration (IMD) Screen Printing Ink	IMD and IML products, such as easy-to-adhere PET films andPC sheets for calendering with pattern printing. Calendering with acrylic,ABS, AS, PC resins, etc.	Calendering for fine printing of nameplates, etc.Use two-component reactive screen printing ink	Low-odor, environmentally friendly ink with good adhesion to PET and PC, excellent heat resistance in post-processing such as calendering, and good adhesion to molding resin
YGH-Ethanol Resistant Plastic Pad Printing Ink	Hard PVC,PC,ABS,PS and other types of electrical housings	Toys,compact disk,appliance housing, instrument board,industrial product, nameplate,high-quality decoration, promotional product and electronics	Glossy, wear-resistant, scratch-resistant, no drawing, easy to operate, strong printability, high covering power, good de-inking performance

橡胶系列

产品名称	适用底材	应用举例	产品特性
EVA-EVA丝印油墨	各种EVA制品、 雨伞布、箱包布、 无纺布等	EVA鞋底 、雨伞 、太阳伞、遮阳棚、 手袋、 书包等	高遮盖力、附着力好、平光
RP-亮光橡胶丝印油墨	橡胶制品，EVA制品，TPR合成橡胶等弹性材料	气球、鞋材、EVA地板等	亮光、弹性好、伸长率达3-5倍
PPVA-PEVA、EVA丝印油墨	PEVA、EVA、无纺布、各种橡胶底材	日用制品、防水产品、手提袋等印刷加工厂	平光，表面光滑、附着力好

刮刮乐系列

产品名称	适用底材	应用举例	产品特性
SO-刮刮乐油墨	主要用于铜版纸、普通纸等各种底材的印刷	各种彩票、充值卡、儿童画册及部分防伪产品加工	刮离性优，盖色力佳

镜面银系列

产品名称	适用底材	应用举例	产品特性
PM-高级镜面银丝印油墨	PC、PET、ABS、PMMA等透明底材	IMD/IML、手机按键、各种视窗镜片、铭板	亮度好，附着力佳

玻璃系列

产品名称	适用底材	应用举例	产品特性
BLA-单组份系列油墨	玻璃、金属	原片玻璃、钢化玻璃、马口铁、铝片	色彩鲜艳，耐水煮，耐化学性，耐酸碱，耐侯，综合性能稳定
BLD-单组份系列油墨		空调/冰箱/洗衣机面板	附着力好，耐水煮，耐酸碱性能优，达因值稳定，印刷性能佳
BL-铂金系列油墨		电器、家装、衡器、火锅台等	亮度好、颜色鲜艳、印刷性能佳
GK-双组份玻璃金属油墨		家电/家具/家装玻璃、铭牌、器皿	亮光，耐酒精，丁酮擦拭；耐酸碱；耐水煮；可常温自干
GE-双组份玻璃金属油墨			平光，耐酒精，丁酮擦拭；耐酸碱；耐水煮；可常温自干







Solvent Based Printing Ink Series

Rubber Series

Product Name	Substrate	Usage	Characteristics
EVA-EVA Ink	EVA products,umbrella cloth, luggage cloth,non-woven fabrics	EVA shoes materials,umbrella, sun umbrella,handbags,bags	Strong coverage,excellent adhesion,plain light
RP-Glossy Rubber Ink	Plastic product,EVA product,TPR,etc	Balloon,shoe materials, EVA flooring,etc	Glossy,resilient,3-5 times elongation
PPVA-PEVA EVA Ink	PEVA,EVA,non-woven fabrics, various rubber substrates	Daily-use products,waterproof products,handbags,etc	Plain light,good adhesion, surface smoothness

Lottery Series

Product Name	Substrate	Usage	Characteristics
SO-Lottery Scratch Ink	Coated paper,common paper and other materials	Lottery tickets,rechargeable card, children's picture books,part of anti-counterfeiting product processing	Strong coverage,easy stripping.

Mirror Silver Series

Product Name	Substrate	Usage	Characteristics
PM-High-level Mirror-like Silver Printing Ink	Transparent materials such as PET,PMMA,PC,ABS,glass,etc	IMD/IML,cell phone buttons, various glass mirrors,nameplates	Good gloss,good adhesion

Glass Series

Product Name	Substrate	Usage	Characteristics
BLA-one-component series ink	Glass,metal	Original glass,tempered glass, tinplate,aluminum sheet	Bright colors,boiling resistance,chemical resistance, acid and alkali resistance,weather resistance,and stable overall performance
BLD-one-component series ink		Refrigerator,air conditioner, washing machine panel	Good adhesion,boiled resistance,excellent acid, alkali resistance,stable dyne testing,smooth printing
BL-Platinum Series Ink		Electrical appliances, home decoration, scales, stoves, etc.	Good brightness, bright colors, and good printing performance.
GK-Double Component Glass Metal Ink		Home appliance glass,furniture glass,home decoration glass, nameplate,utensils	Glossy,alcohol-resistant,methyl ethyl ketone-resistant; acid-resistant,alkali-resistant;boiling-resistant;dry at room temperature
GE-Double Component Glass Metal Ink			Plain,alcohol-resistant,methyl ethyl ketone-resistant; Acid-resistant,alkali-resistant;boiling-resistant;dry at room temperature

水性油墨及印花材料系列

水性丝印油墨系列

产品名称	适用底材	应用举例	产品特性
WG-NS防水尼龙水性丝印油墨	各种尼龙布，部分PU、TPU、各种牛仔布、棉布	雨伞、服装、箱包、广告伞等	手感柔软，弹性好，附着力优秀，抗粘性好
WG-NY尼龙水性丝印油墨	各种尼龙布，鞋材，各种高档服装面料	鞋材、服装、箱包、广告布等	手感柔软，回弹性好，附着力好，耐磨，耐黄变，耐水洗
WG-PP水性丝印油墨	各种处理过的PP及类似材料	回收快递盒、各类文具、日用品等	印刷品表面平滑，附着力好
WG-PU100/100A水性丝印油墨	各种纺织涂层，部分PVC革、PU革	鞋材、服装、箱包等	印刷品表面光滑，高光镜面效果
WG-PVC水性丝印油墨	特别针对PVC等各种皮革，部分PU，TPU，真皮，防水尼龙，处理过的橡胶，EVA，PEVA各种布料印花	各类PVC制品、瑜伽垫、旅行袋等	手感柔软，抗粘，回弹性好，耐磨，
WG-TH水性柯式烫画油墨	用于各类运动鞋的舌标、底标、各种商标、服装柯式烫画加工	鞋材、服装、各类等需要热转印的基材等	超强耐水洗，耐干湿摩擦，耐黄变；手感柔软，易操作，回弹性好
WG-SV/WN/WX系列鞋材水性丝印油墨	专门针对各类多孔，透气性运动鞋面料，也可以用在TPU、PU、PVC等皮革上	鞋材、箱包、织带、广告布等	手感柔软，附着力好，耐曲折，耐黄变，耐水洗抗粘，最高耐折可做到常温二十万次，低温十万次以上
WG-ABS水性丝印油墨	各种ABS塑胶、有机玻璃、PS、PC等	塑料玩具、电子电器等	印刷品表面平滑，牢度好，耐醇
WG-PET水性丝印油墨	各种聚酯硬片、聚酯软片等	PET覆膜标贴、薄膜开关等	印刷品表面平滑，附着力好，低VOC
WG-WA111遇水白色变透明油墨	各种纸张、合成纸、水油面纸及EVA胶纸等	儿童速显卡、儿童玩具标贴、儿童教学书刊、防伪商标等	湿显迅速，附着力好，白度高，适应性好，不易堵版
WGL-水性玻璃油墨	各种普通玻璃、钢化玻璃、金属底材等	家电/家具/家装玻璃、铭牌、器皿等	耐沸水煮，耐酸碱，耐酒精、丙酮擦拭
WGL-100L水性玻璃光油	各种普通玻璃、钢化玻璃、金属底材等	酒瓶/化妆品瓶/食品/礼品等玻璃器皿，陶瓷器皿，金属器皿等	透明度高、硬度高，光泽好，耐黄变、流平好、抗刮性强，适合做透明度高的颜色。

水性丝印系列

产品名称	适用底材	应用举例	产品特性
WG-100/100B水性金葱粉光油	各种纸张，水油面，UV光油面、BOPP、PET、PVC薄膜。	书本，期刊，挂历，烟包盒，礼品盒等	附着力极好，光泽度佳闪烁效果好
WG-150水性丝印触感油	各种高级包装印品、烟包盒、礼品盒、服装吊牌等	书本、期刊、烟包盒、吊牌、挂历、礼品盒等	可提供优异的绒毛，橡胶及滑爽的手感，附着力和耐磨性佳，防水防油效果好

水性辊涂系列

产品名称	适用底材	应用举例	产品特性
WG-WY100D/WY100M水性替塑油	适用于各种纸张的联机，离线印刷	书本、期刊、烟包盒、吊牌、挂历、礼品盒等	可替代传统的覆膜工艺，相比覆膜工艺更环保；防爆，抗刮，耐磨，防水防油，抗粘性能优，表面可重复施工
WG-GT150水性手感油	各种高级包装印品、烟包盒、礼品盒、服装吊牌等	书本、期刊、烟包盒、吊牌、挂历、礼品盒等	可提供优异的绒毛，橡胶及滑爽的手感，附着力和耐磨性佳，防水防油效果好

Water-based ink and printing material series

Screen Printing Ink

Product Name	Substrate	Usage	Characteristics
WG-NS Water-based Nylon Ink	All kinds of nylon/denim /cotton,some PU/TPU	Umbrella,handbag, clothing, advertising umbrella	Soft touch,good elasticity, excellent adhesion,good anti-adhesion
WG-NY Water-based Nylon Ink	All kinds of nylon,shoe material surface printing on high-quality garment fabrics	Shoes,handbag,clothing, advertising cloth	Soft touch,good elasticity, excellent adhesion,resistance to yellowing,resistance to washing
WG-PP Water-based Ink	All kinds of processed PP and similar materials	Recycled courier boxes,all kinds of stationery and daily necessities	Soft touching,good adhesion
WG-PU100/PU100A Water-based High Gloss Varnish	All kinds of textile coating and some PVC leather,PU leather printing polish	Shoes,clothes,handbags	Smooth surface,high gloss mirror effect
WG-PVC Water-based Ink	PVC leather,some PU,leather, PEVA, waterproof nylon,processed rubber, EVA,and other various printing process of substrates	All kinds of PVC products, yoga mats,travel bags	Soft touching,good elasticity, anti-scratch,anti-sticky
WG-TH Water-based Offset Hot Stamping Ink	Tongue label of sports shoes, bottom label,various trademarks, clothing offset hot stamping processing	Sports shoes tongue label/bottom logo/all kinds of logos/all kinds of clothing offset hot stamping	Super washable, anti-wet and dry rub,anti-yellowing; Soft touching,simple printing and excellent elasticity
WG-SV/WN/WX Series Water-based Ink for Shoes	All kinds of multi-hole,breathable sports shoes fabrics,TPU,PU,PVC and other leather	Shoe materials,bags,tapes, advertising fabrics	Soft touching,good adhesion, anti-folding and bending,anti-yellowing,washable and anti-stick
WG-ABS Water-based Ink	All kinds of ABS plastic,organic glass,the PS,PC and other surfaces of the printing	Plastic toys,electronic appliances	Soft touching,good fastness, alcohol resistance
WG-PET Water-based Ink	Surface printing on various polyester hard and soft substrates	PET laminated labeling, membrane switch	Soft touching,good adhesion to PET material,low VOC
WG-WA111 Transparent Ink when Responds water	All kinds of paper,composite paper,water-oil surface paper and EVA sticky paper	Children's quick display card,anti-counterfeiting logo,children's teaching books and magazines, children's toys labeling	Rapid wet display,good adhesion,high whiteness, good adaptability,not easy to block the plate
WGL-Water-based Glass Ink	All kinds of normal glass, toughened glass,metal substrates	Home appliance glass,furniture glass,home decoration glass, nameplate,utensils	Resistant to boiling water,acid and alkali,alcohol and acetone wiping
WGL-100L Water-based Glass Varnish	All kinds of normal glass, toughened glass,metal substrates	Wine bottles, cosmetic bottles, food, gifts and other glass, ceramic,metal utensils	High transparency,high hardness, good gloss,resistance to yellowing, good leveling,strong scratchresistance, suitable for colors withhigh transparency

Water-based screen printing series

Product Name	Substrate	Usage	Characteristics
WG-100/100B water-based glitter varnish	All kinds of paper,water and oil surface,UV glossy surface, BOPP,PET,PVC film	Books,periodicals,cigarette boxes,gift boxes,calendars	Excellent adhesion, good gloss and glittering effect
WG-150 water-based screen printing soft touch varnish	All kinds of high-level packaging prints,cigarette boxes,gift boxes, clothing labels and other substrates of the printing roller coating	Books,magazines,cigarette packs,gift boxes,calendars, labels	Excellent fluff, rubber and smooth touching, good adhesion and anti-scratch,good water-proof and oil-proof

Water-based roller coating series

Product Name	Substrate	Usage	Characteristics
WG-WY100D/WY100M water-based plastizcing varnish	In-line and off-line printing of various papers	Books,magazines,cigarette packs,gift boxes,calendars, labels	Explosion-proof, scratch-resistant, wear-resistant,waterproof and oil-proof,excellent anti-sticking performance
WG-GT150 water-based soft touch varnish	All kinds of high-level packaging prints,cigarette boxes,gift boxes, clothing labels and other substrates of the printing roller coating	Books,magazines,cigarette packs,gift boxes,calendars, labels	Excellent fluff, rubber and smooth touching, good adhesion and anti-scratch,good water-proof and oil-proof

水性油墨及印花材料系列

水性打底浆系列

产品名称	适用底材	应用举例	产品特性
EW-601/EW-602D箱包打底浆	专门针对各种箱包布、帆布、广告布的打底	手袋、箱包布、广告布等	手感柔软，弹性好，附着力优，耐水洗，起厚快，与油墨层间附着好
WX-017箱包打底浆	适用于各种尼龙布、箱包布的打底	鞋材、服装、箱包等	起厚快，透明度好，耐水洗
WX-016/WX-020/ WX-030鞋材厚版浆	适用于各种尼龙布、箱包布的打底	鞋材、服装、箱包等	起厚快，透明度好，耐水洗
NF-100D硅油布打底浆	适用于各种尼龙布，硅油布打底，增加附着力		在重硅油布上牢度好，耐水性，抗刮。
NF-120D厚版浆	适用于各种纺织布料的起厚印花		1、过网性好，易起厚，牢度好。 2、立体感强，不塌陷，洗水不易起折痕。

印花胶浆系列

产品名称	适用底材	应用举例	产品特性
手印胶浆	透明：EW-100/100A、NF-100	箱包布、帆布、广告布的打底	透明浆显色性好，平光。水洗牢度好，印好常温放置24小时后常温水洗5次，每次45分钟不脱落不裂。成膜后弹性好，手感软，干爽不粘手。
	白色：EW-102/102A、NF-102	箱包布、帆布、广告布的打底	白胶浆遮盖力好。水洗牢度好，印好常温放置24小时后常温水洗5次，每次45分钟不脱落不裂。成膜后弹性好，手感软，干爽不粘手。
	防冻透明：NF-100FD	全棉针织布、T/C、化纤布、体育用品布	防冻效果好，-20°C--25°C冻24小时后折20次不开裂。
	防冻白胶浆：NF-102FD	全棉针织布、T/C、化纤布、体育用品布	防冻效果好，-20°C--25°C冻24小时后折20次不开裂。
机印胶浆	透明：EWJ-100、NFJ-100	全棉针织布、T/C、化纤布、体育用品布的机器印花	印刷不塞版，不粘手，弹性好，手感柔软
	白色：EWJ-102、NFJ-102	全棉针织布、T/C、化纤布、体育用品布的机器印花	印刷不塞版，不粘手，弹性好，手感柔软
	防冻透明：EW-200FD、NF-200FD	全棉针织布、T/C、化纤布、体育用品布	防冻效果好，-20°C--25°C冻24小时后折20次不开裂。
	防冻白胶浆：EW-202FD、NF-202FD	全棉针织布、T/C、化纤布、体育用品布	印刷不塞版，防冻效果好，-20°C--25°C冻24小时后折20次不开裂。
NF-7000泳衣透明浆/ NF-7000Y泳衣白胶浆	广泛用于各种泳衣，莱卡布料的印花		在泳衣布（莱卡布上）弹性特别好，抗刮性强，耐水洗。回弹好，手感适中。
NF-118发泡浆	用于各种纺织布料表面的发泡印花		易发泡，立体感强，不易塌陷，牢度好。
NF-091仿烫金/ NF-081仿烫银	适用于各种印花表面的金属效果		金属效果强，光泽高，牢度好，洗水不脱落，加助剂不堵网。
NF-3000网点透明浆 NF-3200网点白胶浆	适用于各种纺织布料的网点印花		1、过网性好，不堵网，网点清晰。 2、手感软，牢度好，透气性高。 3、网点透易显色，颜色鲜艳，网点白，遮盖好。
NF-8700拔印色浆/ NF-8800拔白浆	用于各种纺织布料拔印工艺的印刷		1、拔白浆，拔印白度好，手感软，透气性好，牢度好，不脱粉。 2、拔色：拔印颜色鲜艳，手感软，透气性好，牢度好。
NF-005A防升华浆	适用于各种升华布料，防止升华		防升华效果特别好，和胶浆结合牢度好。防冻防升华与防冻胶浆配合使用，可以通过-20℃~-25℃测试。

盖面浆系列

产品名称	适用底材	应用举例	产品特性
WG-PU100/100A亮光盖面浆	各种纺织涂层，部分PVC革、PU革	鞋材、服装、箱包等	印刷品表面光滑，高光镜面效果
NF-150肤感盖面浆	适用于各种纺织布料和印花表面的印刷盖面，具有优异的手感		肤感效果好，滑爽，哑光，不返白，没有斑点。

本公司水性油墨中水性打底浆系列、印花胶浆系列、盖面浆系列均获得OEKO-TEX证书。

Water-based ink and printing material series

水性油墨及印花材料系列
Water-based ink and printing material series

PrintBar 印吧

PRIME PASTE SERIES

Product Name	Substrate	Usage	Characteristics
EW-601/EW-602D Luggage Bag Prime Paste	All kinds of nylons, non-woven fabrics,600D,knitted fabrics,also can be used for someshoes printing.	Bags, shoes.	Fast thickening, good fastness, water washing resistance.
WX-017 Luggage Bag Prime Paste	Suitable for the undercoating of various nylon fabrics and cotton fabrics.	Fabrics,clothing,color boxes,etc.	Ultra-fast drying, good transparency, water-washable.
WX-016/WX-020/WX-030 Shoes Material Thick Paste	Suitable for the undercoating of various nylon fabrics and cotton fabrics.	Shoes, clothing, luggage, etc.	Thick fast, good transparency, water-washable.
NF-100D Water-Based Silicone Fabric Primer Paste	Suitable for all kinds of nylon cloth, silicone oil cloth as base to increase adhesion.		Good fastness on heavy silicone oil cloth, water resistance, and scratch resistance.
NF-120D Water-based Thick Paste	Suitable for thickening printing of various textile fabrics.		1. Good screen passing, easy to thicken, good fastness. 2. Strong three-dimensional sense, no collapse, and not easy to crease after washing.

PRINTING PASTE SERIES

Product Name	Substrate	Usage	Characteristics
Manual-Print Water Paste	Transparent: EW - 100/100A, NF - 100	Specially for the undercoating of various cotton fabrics, linen fabrics, and advertising fabrics.	1.The transparency and color development are good, and the paste is smooth.2.Good water-washable performance, no cracking after being placed for 24 hours and then washed with warm water 5 times, 45 minutes each time.3.Good elasticity after film formation, soft hand feel, dry and not sticky.
	White: EW - 102/102A, NF - 102	Specially for the undercoating of various cotton fabrics, linen fabrics, and advertising fabrics.	Good covering ability of the white paste.Good water-washable performance, no cracking after being placed for 24 hours and then washed with warm water 5 times, 45 minutes each time. Good elasticity after film formation, soft hand feel, dry and not sticky.
	Anti - freezing Transparent: NF - 100FD	Suitable for all-cotton knitted fabrics, T/C, chemical fiber fabrics, and sports goods fabrics.	Excellent anti-freezing effect, no cracking after being placed at -20℃-25℃ for 24 hours and then folded 20 times.
	Anti - freezing White Paste: NF - 102FD	Suitable for all-cotton knitted fabrics, T/C, chemical fiber fabrics, and sports goods fabrics.	Excellent anti-freezing effect, no cracking after being placed at -20℃-25℃ for 24 hours and then folded 20 times.
Machine-Print Water Paste	Transparent: EWJ - 100, NFJ - 100	Suitable for all-cotton knitted fabrics, T/C, chemical fiber fabrics, and sports goods fabrics.	No mesh blocking in printing, not sticky, good elasticity, and soft hand feel.
	White: EWJ - 102, NFJ - 102	Suitable for all-cotton knitted fabrics, T/C, chemical fiber fabrics, and sports goods fabrics.	No mesh blocking in printing, not sticky, good elasticity, and soft hand feel.
	Anti - freezing Transparent: EW - 200FD, NF - 200FD	Suitable for all-cotton knitted fabrics, T/C, chemical fiber fabrics, and sports goods fabrics.	Excellent anti-freezing effect, no cracking after being folded 20 times after being frozen at -20℃-25℃ for 24 hours.
	Anti - freezing White Paste: EW - 202FD, NF - 202FD	Suitable for all-cotton knitted fabrics, T/C, chemical fiber fabrics, and sports goods fabrics.	No blocking during printing, excellent anti-freezing effect, no cracking after being folded 20 times after being frozen at -20℃-25℃ for 24 hours.
NF-7000 Transparent Paste for Swimwear/ NF-7000Y White Water Paste for Swimwear	Widely used for printing on various swimwear and Lycra fabrics.		Particularly good elasticity on swimwear (Lycra fabric), strong scratch resistance, and washable.Good resilience, moderate soft touch.
NF-118 Foaming Bubble Paste	Used for foaming printing on the surface of various textile fabrics.		Easy to foam, strong three-dimensional sense, not easy to collapse, and good
NF-091 Imitation Gold Paste/ NF-081 Imitation Silver Paste	Suitable for metal effect on the surface of various printed fabrics.		Strong metal effect, high gloss, good fastness, no shedding after washing, and no screen clogging with additives.
NF-3000 Dotted Transparent Paste, NF-3200 Dotted White Water Paste	Suitable for dot printing on various textile fabrics.		1、Good screen-passing property, no screen clogging, clear dots. 2、Soft touch, good fastness, high air permeability. 3、Dots have good transparency and color development, bright colors; dotted white has good coverage.
NF-8800 Discharge Printing Transparent Paste/ NF-8700 Discharge White Paste	Used for discharge printing process on various textile fabrics.		1、Discharge white paste has good discharge whiteness, soft touch, good air permeability, good fastness, and no powder shedding. 2、Discharge color: bright discharge color, soft touch, good air permeability, good fastness.
NF-005AWater-BasedAnti -sublimation Paste	Applicable to various sublimation fabrics to prevent sublimation.		Anti-sublimation effect is particularly good, and the bonding strength with glue is good. Anti-freeze anti-sublimation is used in conjunction with anti-freeze glue, and can pass the - 20℃~-25℃ test

COVER PASTE SERIES

Product Name	Substrate	Usage	Characteristics
WG-PU100/100A High-Gloss Cover Paste	Various textile coatings, some PVC leather, PU leather	Shoe materials, clothing, bags, etc.	The printed product has a smooth surface and a high-gloss mirror effect.
Matte Cover Paste NF-150 Skin-feel Cover Paste	Suitable for printing and covering on various textile fabrics and printing surfaces, with excellent hand feel.		Good skin-feel effect, smooth, matte, no whitening back, no spots.

Our company's water-based primer, water paste and covering paste, have all obtained OEKO-TEX certificates.

水性清漆系列

产品名称	产品特性	适用底材	应用举例
WG-050金卡清漆	光泽好，颜色丰满度高，高附着力，防水，无气味，无白点，可做金卡逆向工艺	灰卡，白卡，铝箔，PET/BOPP镀铝膜铝面	酒盒、化妆品盒、电子、食品包装、膜类包装、礼品盒、烟标等中高端纸类
WG-060银卡清漆	高柔韧性、高附着力，上白膜基本不掉墨，适合冬天或低温天气，做逆向及厚纸包装		
WG-05A烟标银卡清漆	符合voc26项检测标准，也可作为食品级的包装使用；柔韧性优异、高附着力，上白色基本不掉墨，适合各种天气及各种工艺		
WG-063膜面银卡清漆	高柔韧性、高附着力，上白膜基本不掉墨，适合冬天或低温天气，做逆向及厚纸包装	灰卡、白卡、PET镀铝膜铝面	

Water-based Vanish Series

Product Name	Characteristics	Substrate	Usage
WG-050 Gold Card Vanish	Good gloss, high fullness and adhesion, waterproof, no oder and white dot,can do the gold card reverse process	Gray Card,white card, aluminum foil,PET/BOPP aluminum plated film aluminum side	Medium and high-end paper and film packaging such as wine boxes,cosmetic boxes, food packaging,electronics, gift boxes,cigarette labels, etc
WG-060 Silver Card Varnish	High flexibility and adhesion,on the white film basically does not drop ink,suitable for winter or low temperature weather,do reverse and thick paper packaging		
WG-05A Cigarette Mark Silver Card Varnish	It can often be used as food-grade packaging.High flexibility and high adhesion,the white film basically does not lose ink, and is suitable for all kinds of weather and various processes		
WG-063 Film Surface Silver Card Varnish	High flexibility and adhesion,on the white film basically does not drop ink,suitable for winter or low temperature weather,do reverse and thick paper packaging	Gray card, white card,PET aluminized film with aluminum side	

联机辊涂系列:

产品名称	产品特性	适用底材	应用举例
WG-GT100G抗刮花亮光油	高光，抗刮性能好	凹版辊筒涂布于高级包装印品的高光耐磨罩光油,也可以用于联机印刷	烟包盒、礼品盒、食品包装等纸品上光印刷
WG-GT100Y抗刮花哑光油	哑光、抗刮	凹版辊筒涂布于高级包装印品的高光耐磨罩光油,也可以用于联机印刷	烟包盒、礼品盒、食品包装等纸品上光印刷

ONLINE ROLLER COATING SERIES:

Product Name	Characteristics	Substrate	Usage
WG-GT100G anti-scratch gloss varnish	High gloss, good scratch resistance	Gravure roller coating for high-end gloss packaging printingWear-resistant varnish, can also be used for online printing	Cigarette boxes, gift boxes, food packaging and other paper productsGlazing printing
WG-GT100Y anti-scratch matte varnish	Matte, scratch resistance	Gravure roller coating for high-end gloss packaging printingWear-resistant varnish, can also be used for online printing	Cigarette boxes, gift boxes, food packaging and other paper productsGlazing printing

UV油墨系列

UV丝印油墨系列

产品名称	适用底材	应用举例	产品特性
UVAS-键盘油墨	ABS、PVC、PET、BOPP、PS处理后的PP、PE材料	电子电器、各种键盘、电子标签	高度耐磨，耐酒精，耐水，耐寒，耐热
UVB-塑料、纸张油墨	PVC、PET、ABS、BOPP、PS处理后的PP、PE、亚克力等	各类塑料制品等	优秀的附着力、光泽度、耐磨性、耐水性、耐化学性能
UVB-广告四色油墨	珠光合成纸正反面、KT板、BT板有机玻璃、PVC片材	户外广告、装饰装修、包装印刷	网点清晰，附着力好
UVJ-金属油墨	各种金属和马口铁	各类金属制品	良好的附着力、平滑度、耐磨性、光泽度，防粘，低卤，耐磨，高光透明，低气味，可烫金
UVT-PET类瓶子油墨	PET等塑料瓶子	各种日化品瓶子及各类塑胶容器瓶	附着力优、耐磨、耐酒精
UVTP-PP/PE类瓶子油墨	PP，PE等塑料瓶子	各种日化品瓶子及各类塑胶容器瓶	附着力优、耐磨、耐酒精
LED固化-LEA（玻璃水转印）油墨	玻璃和陶瓷	酒瓶、金属、陶瓷	附着力好，耐水性好
LED固化-LEB油墨	纸张、塑胶、金属铝板、ABS、PC、PET、PVC(K料)、处理后的PP、PE	单张画报、文具、塑料包装盒	有良好的附着力、平滑度、光泽度和色彩鲜艳度

UV丝印光油系列

产品名称	适用底材	应用举例	产品特性
UVB-冷烫光油	铜版纸、单粉纸、哑膜面、胶片等	化妆品、书刊、画报 音响制品、食品包装等	良好的附着力、光泽度、柔韧性和可烫金性
UVC-哑膜光油	各类覆有PET膜、BOPP哑膜的纸张、以及硬质PVC、ABS、PP等塑料制品	化妆品、书刊、画报 音响制品、食品包装等	UVC-1510: 烫金性能好 UVC-1520: 光泽度非常高 UVC-1550: 防粘和烫金兼顾 UVC-1560: 综合性能强，抗粘性好，附着力强 UVC-1570: 铜版纸专用，可满足双面印刷的防粘要求 UVC-1590: 高柔韧性，亮度高

UV丝印油墨-特殊效果系列

产品名称	适用底材	应用举例	产品特性
UVC-哑光浆	各类卡纸、合成纸张、PVC、PET、PC塑料等	各类烟、酒包装、文化制品、PVC、PET塑料化妆品盒等	附着力好，柔韧性好，哑度好
UVC-雪花油墨	各类纸张、PVC、PC及其光膜、哑膜等	食品包装、烟包酒包、书刊等	附着力好，柔韧性强，细腻度好，哑度好
UVC-皮纹油墨	金、银卡纸、镭射纸等	烟、酒包装、挂历、化妆品盒、礼品盒等	附着力好，皮纹效果好，柔韧性好
UVC-折光油墨	金、银卡纸、镭射卡纸、PVC片材等	挂历、酒包、化妆品盒	附着力好，柔韧性好，折光效果好
UVC-水晶油墨	金、银卡纸、镭射纸等	烟酒包装、挂历、音像制品、餐垫、文具等	附着力好，透明度高，柔韧性好
UVC-磨砂油墨	金银卡、镭射卡、合成卡纸、PVC、PC塑料、BOPP哑膜等	烟、酒包装、挂历、PVC化妆品盒等	附着力好，砂感强烈
UVC-发泡油墨	纸张、PVC等基材	挂历、酒包、化妆品盒	附着力好，柔韧性好
UVC-皱纹油墨	纸张、PVC片材、有机玻璃、部分覆膜纸	烟、酒包装、挂历、化妆品盒、礼品盒等	附着力好，柔韧性好，起皱快
UVH-洒粉光油	铜版纸，水油面，白卡纸，单粉纸，无粉纸，过胶面等多种细张的洒粉印刷	各种贺卡，手提袋	附着力好，粘粉性佳，柔韧性好，快速固化
UVC-吸水纸光油	水油面，哑膜面，单粉纸，无粉纸，牛皮纸等多种纸张	包装盒、礼品盒等	附着力优、平滑度好、耐磨性强、光泽度佳
UVC-凸字光油	适用于各类覆有PET膜、BOPP哑膜的纸张、以及硬质PVC、ABS、PP等塑料制品的印刷上光。	日常用品和文化用品，如：食品包装、化妆品、音像制品、画报等。	在多数哑膜纸、部分光膜纸、塑料制品上有良好的附着力、立体感、光泽度及流平性。

UV Ink Series

UV Silk Screen Printing Ink

Product Name	Substrate	Usage	Characteristics
UVAS-Keyboard Ink	ABS,PVC,PET, BOPP,PS processed PP,PE materials	Electronic appliances,keyboards, electronic labels,etc	Highly anti-scratch,water-resistant,alcohol-resistant, cold-resistant,heat-resistant
UVB-plastic and paper ink	PVC,PET,ABS,BOPP,PS treated PP,PE,acrylic,etc	All kinds of plastic products,etc.	Excellent adhesion,gloss,abrasion resistance,water resistance, chemical resistance
UVB-Advertising Four-Color Ink	Pearlescent synthetic paper front and back,KT board,BT board, organic glass,PVC sheet	Outdoor advertising,decoration, package printing	Clear dot,good adhesion
UVJ-Metal Ink	All kinds of metals and tinplate	All kinds of metal products	Good adhesion,smoothness,wear resistance,gloss,anti-stick,low halogen, wear resistance,high glosstransparent, low odor,hot stamping available
UVT-PET bottle ink	PET and other plastic bottles	Daily necessities bottles, plastic containers and bottles	Good adhesion,wear-resistant,alcohol-resistant
UVTP-PP/PE bottle ink	PP,PE and other plastic bottles	Daily necessities bottles, plastic containers and bottles	Good adhesion,wear-resistant,alcohol-resistant
LED Curing-LEA(Glass Water Transfer Printing)Ink	Glasss and ceramics	Wine bottles,metal,ceramics,etc	Good adhesion,and water resistance
LED Curing - LEB Inks	Paper,plastic, metal aluminum, ABS,PC,PET,PVC(K Material),after treatment PP,PE	Single magazine,stationery, plastic packaging boxes	Good adhesion,smoothness, gloss and color vividness

UV screen printing varnish

Product Name	Substrate	Usage	Characteristics
UVB-Cold Stamping Varnish	Coated paper,single art paper,matte surface,film	Food packaging,cosmetics, audio products,pictures, books and magazines, etc	Good adhesion and glossy,hot stamping available,good flexibility
UVC-Matte Lamination Gloss Varnish	All kinds of paper coated with PET film,BOPP matte film,hard PVC, ABS,PP and other plastic products	Food packaging,cosmetics, audio-visual products,painting, books andmagazines,etc	UVC-1510:Good hot stamping performance UVC-1520:Very high gloss UVC-1550:Anti-stick and good for hot stamping UVC-1560:Strong comprehensive performance, good anti-stick,strong adhesion UVC-1570:Special for coated paper,can meet the anti-sticking requirements of double-sided printing UVC-1590:High flexibility,high gloss

UV Silk Screen Printing Ink-Special Effect Series

Product Name	Substrate	Usage	Characteristics
UVC-Matte Varnish	All kinds of cardboard, synthetic paper,PVC,PET,PC plastic,etc.	Cigarettes,wine packaging,cultural products,PVC,PET plastic cosmetic boxes,etc.	Good adhesion and flexibility,good matte
UVC-Snow Varnish	Paper,PVC, PC and its glossy film,matte film	Food packaging,cigarette and wine packages,books and magazines,etc	Good adhesion,high flexibility, good fineness,good mattness
UVC-Plica Varnish	Gold,silver cardboard, laser paper,etc	Cigarette,wine packaging,calendars, cosmetic boxes,gift boxes,etc	Good adhesion,good wrinkle effect,good flexibility
UVC-Refractive Varnish	Gold,silver cardboard,laser paper,PVC sheet,etc	Calendars,wine packages, cosmetic packages,etc	Good adhesion,good flexibility, good refractive effect
UVC-Crystal Varnish	Gold,silver cardboard, laser paper,etc	Cigarette and wine packaging, calendars,audio-visual products, meal pads,stationery,etc	Good adhesion,excellent flexibility,high transparency
UVC - Abrasive Varnish	Gold and silver cardboard,laser cardboard,composite cardboard, PVC, PC plastic,BOPP matte lamination, etc	Cigarette and wine packaging, calendars,PVC cosmetic boxes,etc.	Good adhesion,strong abrasive effect
UVC-Bubble Varnish	Paper,PVC and other substrates	Calendars,wine packages, cosmetic packages,etc	Good adhesion, excellent flexibility
UVC-Wrinkle Varnish	Paper,PVC sheet,plexiglass, partially laminated paper	Cigarette and wine packaging, cultural products,PVC,PET plastic,etc	Good adhesion,nice flexibility,wrinkles quickly
UVH-Powder Varnish	Coated paper,water-oil surface,white cardboard,single-coated paper,powder-free paper,laminated surface and various small sheet powder printing	Greeting cards,handbags	Good adhesion,good powder stickiness,good flexibility, fast curing
UVC-Absorbent paper Varnish	Water-oil surface,matte film surface, single powder paper,powder-free paper,kraft paper and other papers	Packaging boxes, gift boxes,etc	Excellent adhesion,smoothness, abrasion resistance,glossy finish
UVC - 3D EFFECT VARNISH	It is suitable for the papers coated by PET,BOPP and some rigid PVC,ABS and PP.	Daily products and stationery products such as packaging of food, cosmetic, placemat and poster etc.	Excellent adhesion,flexible, high gloss and smooth for most of coated papers and parts of gloss papers and plastic materials

UV油墨系列

UV胶印油墨系列

产品名称	适用底材	应用举例	产品特性
UVU-HT高附着力胶印油墨系列	白卡、镭射卡纸、金银卡纸、PET覆膜卡纸、金属铝箔纸、PVC软膜等	一次性口杯、方便面包装、牛奶杯等	气味极低，印刷适应性好，通用性强，附着力极好，对一些难附着的PET和PP也表现出极好的附着力、表面亮度高，色彩鲜艳
UVU-K/KE通用胶印油墨系列	适用于各类金银卡纸镭射卡纸、PVC、PC、部分覆膜纸、处理过的PET等	高档化妆品包装、酒包、礼盒、玩具袋等	附着力良好；色彩强度高，网点清晰；柔韧性佳；耐磨擦、耐刮；适合连续、整幅罩光及局部罩光。可凸版印刷。
UVU-无氧光油系列	金、银卡纸、镭射纸等	包装材料、防伪材料等表面图案制作	性价比高，气味低，附着力优，透光率高，印品表面高光泽，高硬度，耐磨抗划伤，耐水耐化学品特性；印品具有好的层间结合力及上镀性。
LED-E/LED系列	各类金银卡纸、镭射卡纸、PVC、PC、部分覆膜纸、处理过的PET等	食品包装、化妆品、酒包等	LED和UV都可以干燥，干燥性好，耐磨好，印刷适应性好
UVU-可剥离哑油系列	纸张、卡纸、合成纸、PVC、BOPP、OPP覆膜等底材，可以用做单色或多色印刷	标签、防伪标签、印刷品表面局部防粘贴等	印刷适应性好，通用性强，附着力好，干燥速度快，印刷表面滑爽度好，透明度高，持久性防污。
UVU-NR轮转系列	PET、PVC、PE等基材	金银卡、票据、合成纸、部分塑料薄膜基材	通用性强，特别适用于标签机印刷，附着力好，表面亮度高，色彩鲜艳。

UV逆向光油系列

产品名称		印刷效果	适用底材
逆向面油系列	UVU-逆向面油A型（快干打码）	爽滑度好，干燥快	金银卡纸、镭射卡纸等
	UVU-逆向面油B型（高附着力）	高附着力面油，对普通胶印墨，白卡光膜哑膜均有附着力	铜版纸、光哑膜、普通胶印墨表面等
	UVU-逆向面油C型（打码烫金）	低气味通用型面油，柔韧性佳，特别适用于薄纸印刷	金银卡纸、镭射卡纸、白卡纸等
	UVU-逆向面油D型（打码烫金）	低气味通用型面油，极低气味	金银卡纸、镭射卡纸等
	UVU-逆向面油E型（高耐磨）	耐磨面油，耐磨可以达到1000次	金银卡纸、白卡纸、特种纸等各种纸张
	UVU-胶印磨砂面油	不黄变，特别适用于对黄变敏感的白卡铜版纸印刷	金银卡纸、镭射卡纸、白卡纸、铜版纸等
逆向底油系列	UVU-逆向底油（细砂）	细砂，哑光，可以印刷细折光	金银卡纸、镭射卡纸等
	UVU-逆向底油（中砂）	中砂-粗砂效果，砂感均匀	
	UVU-逆向底油（粗砂）	粗砂，亮光，砂感强烈均匀	
	UVU-逆向底油（折光型）	中砂-粗砂，亮光，砂感均匀，手感强，附着力好	金银卡纸、镭射卡纸、白卡、PVC等
	UVU-逆向底油（XL型）	细砂-中砂，可印刷折光等细线条，适合高速印刷	金银卡纸、镭射卡纸等
	UVU-逆向底油（哑光型）	哑光型底油，哑度15-16度左右	
	UVU-胶印磨砂底油	印刷效果为不滑底油	

UV柔印、辊涂油墨系列

产品名称		适用底材	应用举例	产品特性
柔印系列	UVR-油墨系列	各种行业标签，包括自粘标签、收缩标签、片材软管、膜内标签等	医药保健品、电子标签、日化护理品、食品饮品酒类	性价比高，适用于国产和进口的各种不同类型的窄幅和中幅的标签柔版印刷机，UV和LED通用。具有快速固化，附着力好，高光泽，粘度稳定，色彩还原性好，柔韧度好等特点。
磁胶系列	UVG-230A（光油）	PVC磁胶表面印刷	磁胶涂布	有高张力、高耐磨、可书写等多种光面和哑面表面效果；附着力好，耐性好
	UVG-320（哑油）			
	UVG-3201A（高张力哑油）			
免打底系列	UVG-240（光油）	适用于对铜版纸、白卡纸等整版辊涂上光用	化妆品，食品包装药品，画册等	耐磨、高光，附着力优异
	UVG-250（光油）			柔韧性好，附着力强，耐磨、烫金性能较好
	UVG-340（哑油）			附着力好，柔韧性好、耐磨性好

UV联机光油系列

产品名称	适用底材	产品特性	应用举例
UVG-110	适用于对各种金银卡、镭射卡纸、PVC及处理的PET、OPP等片材的整版辊涂上光用	高光，附着力优异	化妆品，食品包装药品，画册等
UVG-121		亮度高，耐磨优异，耐酒精擦拭和酒泡	
UVG-122A		流平性好，亮度高，耐磨较好，可烫金	

UV Ink Series

UV Offset Ink Series

Product Name	Substrate	Usage	Characteristics
UVU-HT High Adhesion Series Ink	White card,laser card paper,gold and silver card paper,PET coated card paper, metal aluminum foil paper,PVC soft film, etc	Disposable cups,instant noodle packages,milk cups, etc	Low odor,good printing adaptability, versatility, excellent adhesion,same excellent adhesion, gloss and shine for some PET and PP materilas
UVU-K/KE General Series Ink	All kinds of gold and silver cardboard,laser cardboard, PVC,PC,part of the laminating paper,processed PET,etc	High-grade cosmetic packaging,wine bags, gift boxes, toy bags, etc	Good adhesion;high color intensity,clear dots; Good flexibility;abrasion and scratch resistance; suitable for continuous,full and partial glazing. Can be letterpress printed
UVU-Oxygen-Free Varnish Series	Gold and silver cardboard, laser cardboard,etc	packaging materials,anti-counterfeiting materials	Good cost performance,low odor,excellent adhesion,high light transmittance,high gloss, high hardness,wear resistance,scratch resistance, water resistance and chemical resistance;the printed product has good interlayer bonding and plating properties
LED-E/LED Series Ink	All kinds of gold and silver cardboard,laser cardboard, PVC,PC,part of the laminating paper,processed PET,etc	Food packaging,cosmetics, wine packaging,etc	LED and UV can be dried,good drying, good abrasion resistance,good printing adaptability
UVU-Peel-off Matte Varnish series	Paper,cardboard,synthetic paper, PVC,BOPP, OPP coating and other substrates,can be used for single-color or multi-color printing	Labels,anti-counterfeiting labels, ocalized anti-paste on the surface of printed materials,etc.	Good printing adaptability,strong versatility, good adhesion,fast drying speed,good printing surface smoothness,high transparency,and prevent dirt for long
UVU-NR Rotary Series Ink	PET,PVC,PE,etc	Gold and silver cards,tickets, synthetic paper,some plastic film substrates	It is highly versatile and is particularly suitable for label machine printing.Good adhesion,high surface brightness and bright colors

UV Reverse Varnish Series

Product Name		Printing Effect	Substrate
Reverse Varnish On Surface Series	Type A(Fast-drying Coding)	Good smoothness, fast drying	Gold and silver cardboard, laser cardboard,etc
	Type B(Excellent Adhesion)	High adhesion,adhesion to normal offset ink, white card glossy film and matte film.	Coated paper,matte film,normal offset ink substrates,etc
	Type C(Coding Hot Stamping)	Low-odor general varnish,good flexibility, especially suitable for thin paper printing	Gold/silver/white cardboard, laser cardboard,etc
	Type D(Coding Hot Stamping)	Low-odor general varnish,very low odor	Gold and silver cardboard, laser cardboard,etc
	TypeE(high wear resistance)	High wear-resistant, wear resistance can reach 1000 times.	Applicable to various paper printing such as gold and silver cardboard, white cardboard, special paper, etc.
	Offset Frosted Surface Oil	Non-yellowing, especially suitable for yellowing-sensitive white cardboard printing	Gold/silver/white cardboard, laser cardboard,coated paper,etc
Reverse Varnish On The Underlayer	Small abrasive	Small abrasive effect,matte,can get the effect of refractive with small line	Gold and silver cardboard, laser cardboard,etc
	Mid abrasive	Mid abrasive effect, gloss and perfect well-proportioned effect	
	Strong abrasive	Strong abrasive effect,gloss and perfect well-proportioned effect	
	Refractive abrasive	Mid abrasive effect,Glossy,even sand feeling, strong hand feeling,good adhesion	Gold/silver/white cardboard, laser cardboard,PVC,etc
	Type XL	Abrasive effect from small to mid,the effect of refractive with small line,high speed printing	Gold and silver cardboard, laser cardboard,etc
	Matte Eeffect	Matte effect,about 15-16 degree	
	Offset abrasive varnish on the underlayer	Abrasive effect	

UV flexo ink, UV roller coating ink series

Product Name		Substrate	Usage	Characteristics
Flexo Printing Ink Series	UVR Flexo Ink	Various industry labels, including self-adhesive labels, shrink labels, sheet hoses, in-film labels, etc.	Medical and health products, electronic labels, daily chemical care products, food, beverages and alcohol.	High cost performance, suitable for various types of narrow and medium-width label flexographic printing machines of domestic and imported, universal for UV and LED Curing. It has the characteristics of fast curing, good adhesion, high gloss, stable viscosity, good color reproduction, good flexibility, etc.
Magnetic Series	UVG-230A(Varnish)	PVC magnetic surface printing	Magnetic adhesive coating	Good adhesion,excellent resistance,high tension,nice anit-scratch,different kinds of effects of gloss and matte writing
	UVG-320(Matte Varnish)			
	UVG-3201A(High tension matte Varnish)			
Roller Coating Series Without Underlayer	UVG-240(Varnish)	Suitable for printing on all kinds of white cardboard,coated paper and water-oil -based coated book paper	Cosmetic/medicine/ food packaging, picture albums,etc	Good adhesion,flexibility, and abrasion resistance
	UVG-250(Varnish)			Wear resistance,high gloss,excellent adhesion
	UVG-340(Matte Varnish)			It has good adhesion, flexibility and wear resistance.

UV Online Varnish Series

Product Name	Substrate	Characteristics	Usage
UVG-110	Suitable for full-sheet roller coating of various gold and silver cards,laser cardboard,PVC and processed PET, OPP and other sheets	High gloss,good adhesion	Cosmetic/medicine/ food packaging, picture albums,etc
UVG-121		High brightness, excellent wear resistance, resistant to alcohol wiping and wine soaking.	
UVG-122A		Good leveling, high gloss, good wear resistance, and can be hot stamped.	

配套溶剂、耗材系列

Thinners And Materials Series

PrintBar 印吧

溶剂系列

产品名称	用途
环己酮	溶解力强，气味稍大
环己酮D	低气味环己酮
环己酮（一级）	溶解力比普通环己酮强一些
环己酮（原装）	溶解力强，原装环己酮
007慢干水	气味低，慢干
007中干水	气味低，中干
007快干水	气味低，快干
718中干水	气味低，中干
719快干水	气味低，快干
783慢干水	气味低，慢干
783慢干水（原装）	溶解力强，原装进口
783特慢干水	溶解力强，慢干
783环保特慢干水	气味低，特慢干
D-783慢干水	低气味慢干水
SF油墨开油水	SF专用开油水，低气味
SF慢干抹字水	溶解力比防白水稍强一些
A-800环保特慢干水	低气味，特慢干
RP橡胶油墨开油水	气味低，溶解力比环己酮、783差一些
007洗网水	溶解力比较强，气味稍大
008洗网水	干燥速度快，气味低
009洗网水	干燥速度快，气味低，轻微香味
水性洗板水	快干
水性洗板水B	快干，溶解力比水性洗板水强一些
防白水	低气味，不烧面
天那水	低气味，特快干
松节水	属于混合物，批次之间气味偏差有点大
407印花水	属于混合物，批次之间气味偏差有点大
PP处理水	用于处理PP底材

Thinners Series

Product Name	Usage
Cyclohexanone	Strong solubility,slightly strong smell
Cyclohexanone D	Low odor cyclohexanone
Cyclohexanone(First Grade)	The solubility is stronger than ordinary cyclohexanone
Cyclohexanone(Original)	Strong solubility,original cyclohexanone
007 Slow Dry Thinner	Low odor,slow drying
007 Medium Dry Thinner	Low odor,medium drying
007 Fast dry Thinner	Low odor,quick drying
718 Medium Dry Thinner	Low odor,medium drying
719 Fast dry Thinner	Low odor,quick drying
783 Slow Dry Thinner	Low odor,slow drying
783 Slow Dry Thinner(Original)	Strong solubility,imported with original packaging
783 Extra Slow Dry Thinner	Strong solubility,slow drying
783 Environmental Slow Dry Thinner	Low odor,extra slow drying
D-783 Slow dry	Low odor,slow drying
SF Ink Thinner	SF special thinner,low odor
SF Slow Dry Wiping Thinner	The solubility is slightly stronger than that of anti-white water
A-800 Extra Slow Dry Thinner	Low odor,extra slow drying
RP Rubber Ink Thinner	Low odor and worse solubility than cyclohexanone and 783
007Wash Mesh Water	Stronger solubility and slightly stronger odor
008 Wash Mesh Water	Fast drying,low odor
009 Wash Mesh Water	Fast drying,low odor,slight fragrance
Water-based Plate Washing Water	Quick drying
Water-based Plate Washing Water B	Quick drying,stronger solubility than water-based washing water
Anti-White Water	Low odor,no burning of surface
Tenna Water	Low odor,fast drying
Turpentine	It is a mixture,smell varies between batches
407 Printing Water	It is a mixture,smell varies between batches
PP Treatment Water	For processing PP substrates

配套溶剂、耗材系列

助剂系列

产品名称	用途	建议添加量
060消泡剂	主要解决油墨印刷过程中的气泡问题	建议添加量小于1%
9024抗油剂	主要解决油墨印刷过程中缩孔、表面流平不好等问题	建议添加量小于1%，一般添加0.5%即可
9004催化剂	提高油墨在底材上的附着力，加在尼龙油墨中可以提高附着力和耐水洗性能	建议添加量为4-10%，建议现调现用，加入催化剂后8小时用完
9006催化剂	提高油墨在底材上的附着力，加在尼龙油墨中可以提高附着力和耐水洗性能	建议添加量为4-10%，建议现调现用，加入催化剂后6小时用完。9006比9004快干，各方面性能优于9004
油性柔软剂	用来提高油墨的柔软度	建议添加量小于3%，加多会影响油墨干燥性能
油性防粘剂	用于提高油墨的抗粘性能	建议添加量小于3%，加多会影响油墨光泽和附着力
油性消光剂	用于降低油墨光泽度	建议添加量小于10%，加多会影响油墨附着力和其它性能
增光剂	用于提高油墨光泽度	建议添加量小于10%，加多会影响油墨附着力和其它性能
PP-112慢干膏	用于解决油墨移印拉丝问题	建议添加量小于10%，加多会影响油墨附着力和其它性能

KANO-卡诺制卡系列

产品名称	用途	产品特性
KANO-200水性感光胶	手工、机械等水性印花	①耐印易操作 ②不粘版易定位
KANO-8800 水油两用感光胶	用于UV、玻璃、陶瓷、纺织、电子、标牌等	①耐印性能优良，高解像，易于操作 ②可制作1mm的厚型网版
KANO-脱膜粉	油性印版与未坚膜处理的水性印版	除膜快，效率高
KANO-A+B液	各类丝网印版坚膜用	耐水耐溶剂，不损伤丝网
KANO-脱脂剂	各类丝网印版用	有效去油、除垢
KANO-磨网膏	各类涤纶丝网	具有完好的研磨性、集粗化、除污去油于一体
KANO-去鬼影膏	各类丝网印版用	耐溶剂，封补针孔效率高
KANO-蓝色封网浆	耐溶剂类网版用	耐水耐溶剂，粘接牢固
KANO-红色补边剂	耐溶剂类网版用	去除脱膜残留墨迹效果显著

Thinners And Materials Series

Agent Series

Product Name	Usage	Recommended Addition
060 Bubble Remover	Mainly used to solve the bubble problem during ink printing process	It is recommended to add less than 1%
9024 Anti-oil Agent	Mainly solves problems such as shrinkage holes and poor surface leveling during ink printing	It is recommended to add less than 1%.Generally, adding 0.5% is enough
9004 Catalyst	Improve the adhesion of ink on the substrate.Adding it to nylon ink can improve the adhesion and washable	The recommended addition amount is 4-10%.It is recommended that the ink be mixed and used immediately.Use up 8 hours after adding the catalyst
9006 Catalyst	Improve the adhesion of ink on the substrate.Adding it to nylon ink can improve the adhesion and washable	The recommended addition amount is 4-10%.It is recommended that the ink be mixed and used immediately.Use up 6 hours after adding the catalyst.9006 dries faster than 9004 and the performance is better than 9004 in all aspects
Oil-Based Softener	Used to improve the softness of ink	It is recommended to add less than 3%. Adding too much will affect the drying performance of the ink
Oil-Based Anti-stick Thinner	Used to improve the anti-stick properties of ink	It is recommended to add less than 3%. Adding too much will affect the gloss and adhesion of the ink
Oil-Based Delustering Agent	Used to reduce ink gloss	It is recommended to add less than 10%. Adding too much will affect the adhesion of the ink and other properties
Sensitizer	Used to improve ink gloss	It is recommended to add less than 10%. Adding too much will affect the adhesion of the ink and other properties
PP-112 Slow Dry Cream	Used to solve the problem of ink pull in pad printing	It is recommended to add less than 10%. Adding too much will affect the adhesion of the ink and other properties

KANO - Kano Plate-Making Materials Series

Product Name	Usage	Characteristics
KANO-200 Water-based Emulsion	Manual,mechanical and other water-based printing	①Durable printing and easy to operate ②Non-stick screen is easy to position
KANO-8800 Water And Oil Emulsion	Used in UV,glass,ceramics, textiles,electronics,signs,etc.	①Excellent print durability,high resolution, easy to operate ②Can produce 1mm thick mesh screen
KANO-Autostrip Powder	Oil-based printing screen and uncoated water-based printing screen	Fast film removal and high efficiency
KANO-A+B Liquid	Used for all kinds of screen printing screens	Water-resistant and solvent-resistant, will not damage the screen
KANO-Degreasing Agent	For various screen printing screens	Effectively remove oil and dirt
KANO Mesh Grinding Agent	For various screen printing screens	It has perfect abrasiveness and integrates roughening,contamination and oil removal
KANO Ghosting Remover	For various screen printing screens	Effectively removes residual ink stains from release film
KANO-Blue Fillder	For solvent-resistant screens	Resistant to solvents,high efficiency in sealing pinholes
KANO-Red Healant	For solvent-resistant screens	Water-resistant,strong bonding solvent-resistant

丝印辅助材料系列

产品名称	建议添加量
ZY-44 银粉 (7U)	金银粉按15-20%比例加入透明油里搅拌均匀即可
ZY-50 银粉（7U）	
ZY-170 青金粉 (7U)	
ZY-175 红金粉 (7U)	
ZY-250 青金粉 (5.5U)	
ZY-350 红金粉 (5.5U)	
6500#红金粉 (11U)	
6500#青金粉 (11U)	

Screen Printing Auxiliary Material Series

Product Name	Recommended Addition
ZY-44 Silver Powder (7U)	Add gold and silver powder to transparent oil in a proportion of 15-20% and stir evenly
ZY-50 Silver Powder (7U)	
ZY-170 Pale Gold Powder(7U)	
ZY-175 Rich gold Powder(7U)	
ZY-250 Pale gold Powder(5.5U)	
ZY-350 Rich gold Powder(5.5U)	
6500# Rich Gold Powder(11U)	
6500# Pale Gold Powder(11U)	

印吧油墨包装展示
PrintBar ink packaging display



- UV油墨1KG、5KG、20KG包装
  UV胶印油墨1KG金罐包装
- UV ink 1KG,5KG,20KG package
  UV offset printing ink 1KG gold can packaging



- 水性油墨1KG、5KG、20KG包装
- Water-based ink 1KG,5KG,20KG package



- 水性油墨50KG、1000KG包装
- Water-based ink 50KG,1000KG package



- 溶剂型油墨1KG、5KG、20KG包装
- Solvent based ink 1KG, 5KG, 20KG packaging



- 溶剂1KG、3KG、15KG包装
- Thinner 1kg,3kg.15kg packaging



- 助剂0.5KG、1KG包装
- Materials 0.5KG,1KG package

印吧制版及辅助材料
PrintBar screen making and auxiliary materials



- KANO-卡诺制卡系列
- KANO - Kano Plate-making Materials Series